



Communication Devices Inc.
 85 Fulton Street
 Boonton, NJ 07005
 Phone: 973.334.1980
 Fax: 973.334.0545
 800.359.8561
 email: info@commdevices.com
 Web: www.commdevices.com

CDI MASTER PART NUMBER LIST JANUARY 2011

<u>Hardware</u>	<u>Hardware</u>
Part Number	Description
PA-111-SA	Port Authority 111 stand alone, one network, one serial and one pcm port. Requires EDL
PA-111-RM	Port Authority 111 rack mount, one network, one serial and one pcm port. Requires EDL
PA-155-RM	Port Authority 155 rack mount, one network, five serial and five pcm ports. Requires EDL
PA-199-RM	Port Authority 199 rack mount, one network, nine serial and nine pcm ports. Requires EDL
PA SAM 11	Port Authority Secure Authentication w/ v.92 Modem single serial port. RSA authentication
PA SAM 22	Port Authority Secure Authentication w/ v.92 Modem two serial ports. RSA authentication
PA SAM 22/IP	Port Authority Secure Authentication w/ v.92 Modem two serial ports w/ IP. RSA authentication
PA SAM 44	Port Authority Secure Authentication w/ v.92 Modem four serial ports. RSA authentication
PA SAM 44/IP	Port Authority Secure Authentication w/ v.92 Modem four serial ports w/ IP. RSA authentication
SSE	Secure Session Encryptor plus 128 bit AES encryption. Incl. 1 USB & 1 SST-01
TDES-G	Triple DES encryptor no modem. Remote encryption device only
TDES-M	Triple DES encryptor modem-v.90. Remote encryption device only
<u>Software</u>	<u>Software</u>
Part Number	Description
OBM	Out of Band Manager express for single installs of <100 sites and no back up v.6.xx
OBM SQL	Out of Band Manager SQL server 2005/2008 for installs of 100> sites or with back up v.6.xx
OBM SL	Seat License allows multiple simultaneous access via OBM
DDM-DL-SM 11	Device license to add one PA SAM 11 to the DDM database
DDM-DL-SM 22	Device license to add one PA SAM 22 to the DDM database
DDM-DL-SM 44	Device license to add one PA SAM 44 to the DDM database

Part Number	Description
EDL-M	Enhanced Device License enables OBM to manage PA-1xx device
EDL-N	Enhanced Device License enables the Network port
EDL-A	Enhanced Device License enables 256bit AES encryption
EDL-R	Enhanced Device License enables RSA 2 factor authentication
RSA-EF-SM 11	RSA enable file to make one PA SAM 11 SecurID Ready
RSA-EF-SM 22	RSA enable file to make one PA SAM 22 SecurID Ready
RSA-EF-SM 44	RSA enable file to make one PA SAM 44 SecurID Ready
<u>Power Control Modules</u>	
<u>Part Number</u>	<u>Description</u>
PCM US 3	110VAC 10 AMP In-line PCM
PCM-EU-4	230VAC 16 AMP 50/60Hz PCM
PCM EU 6	230VAC 6 AMP In-line PCM
PCM-48VDC	48VDC 20 AMP PCM
PCM 16A	200-240VAC 16 AMP 50Hz PCM
PCM 20A	100-120VAC 20 AMP 60Hz PCM
<u>Mounting Brackets</u>	
<u>Part Number</u>	<u>Description</u>
RM-4	Rack mount tray holds up to four UG's, four PA SAM 22 and six PA SAM 11's
PCM MT/BKT	Bracket mounts any two In-line PCM's
PCM-MT-BKT-2	Bracket mounts any two 16AMP or 20AMP PCM's
<u>Adaptors</u>	
<u>Part Number</u>	<u>Description</u>
ADP AVAYA DB9M	DB9M TO RJ45
ADP DB25F-RJ45	DB25F TO RJ45 DCE
ADP DB25M-RJ45	DB25M TO RJ45 DCE

Part Number	Description
ADP DB9F-RJ45	DB9F TO RJ45 DCE
ADP DB9M-RJ45	DB9M TO RJ45 DCE
ADP DLO-DB9F	DATA LEADS ONLY DB9F TO RJ45 DCE
ADP DLO-DB9M	DATA LEADS ONLY DB9M TO RJ45 DCE
ADP DLO-25F	DATA LEADS ONLY DB25F TO RJ45
ADP DLO-25M	DATA LEADS ONLY DB25M TO RJ45
ADP DLO-NM-25F	NULL MODEM DATA LEADS ONLY DB25F TO RJ45
ADP DLO-NM-25M	NULL MODEM DATA LEADS ONLY DB25M TO RJ45
ADP NM-25F	NULL MODEM DB25F TO RJ45
ADP NM-25M	NULL MODEM DB25M TO RJ45
ADP NM-DB9F	NULL MODEM DB9F TO RJ45
ADP NM-DB9M	NULL MODEM DB9M TO RJ45
ADP NS-9M	JUNIPER-NETSCREEN DB9M TO RJ45
ADP SPLITTER	DUAL RJ11 SPLITTER
ADP SUN BOX	SUN WORKSTATIONS DB25M TO RJ45
ADP DB9F-RJ45 B	DB9F TO RJ45 DCE
ADP DB9M-RJ45 B	DB9M TO RJ45 DCE
ADP DCE-DSR 9F	DB9F TO RJ45 DSR
<u>Cables</u>	<u>Cables</u>
Part Number	Description
CBL 8PC 12'	RJ45-RJ45 SILVER SATIN 12'
CBL CDI IPM 12	IPM GREEN RJ45 - RJ11 12'.
CBL CISCO C/A12	CISCO CONSOLE AUXILLARY BLUE 12'
CBL CISCO CAT12	CISCO CATALYST RED RJ45 TO RJ45 12'
CBL CISCO BLK	CISCO RJ45 10' BLACK
CBL ENTERASYS12	ENTERASYS DRAGON 12'
CBL LINK YELLOW	LINK PA BOARDS YELLOW 12"
CBL NS RJ45/12	JUNIPER-NETSCREEN RJ45 12'

Part Number	Description
CBL TELCO	TELCO RJ11 - RJ11 GREY 14'
CBL DC48C	DC48 CONVERTER

Part Number	Description
<u>Kits</u>	<u>Kits</u>
Part Number	Description
KIT-CBL-TDES-G	KIT FOR TDES-G
KIT-CBL-TDES-M	KIT FOR TDES-M
KIT-CBL-1	KIT 1-8PC12', 1-DB9F
KIT-CBL-4	KIT 4-8PC12', 4-DB9F
KIT-FSK	KIT FOR FSK
KIT-CBL-EVAL	An assortment cables and adaptors for use with evaluation equipment
KIT-CBL-TEL/SPT	KIT TELCO RJ11 w/ DUAL SPLITTER
<u>Power Supplies</u>	<u>Power Supplies</u>
Part Number	Description
DC48C	+/- 48 Volt Direct Current power supply for UniGuard & Port Authority products
WPS GLOBAL	100-240VAC 50.60Hz Global Power Supply
PWC AU	10A 250V 6' AS3112- IEC C13 Australasia
PWC UK	10A 250V 6' BS1363- IEC C13 United Kingdom
PWC US	10A 125V 6' NEMA 5-15P- C13 United States
PWC EU	10A 250V 6' CEE 7/7- IEC C13 European
PWC C13-C14	10A 125V 6' IEC C13-C14
PWC C13-C14 10'	10A 250V 10' IEC C13- C14
PWC C19/C20	20A 250V 6' IEC C20- C19